

City of Black River Falls

Specifications for Sidewalk/Curb Repair and Bid Instructions

So. Water Street

West side:	Remove & Replace	100 ft. of 30" curb and gutter
	Remove & Replace	60 ft. of curb head
	Remove & Replace approx.	1300 sq. ft. of sidewalk
East side:	Remove & Replace	65 ft. of 30" curb and gutter
	Remove & Replace	20 ft. of curb head

Main Street between N. 2nd and N. 3rd Streets

North side:	Remove & Replace	17 ft. of 30" curb and gutter on N 3rd St.
	Remove & Replace	22 ft. of 30" curb and gutter on N 2nd St.
	Remove & Replace	300 ft. of curb head on Main St.
	Remove & Replace approx.	4020 sq. ft. of sidewalk

Street has been overlaid by the State

Remove curb head where overlaid.

Replacement curb head shall be pinned with 1/2" rebar spaced every 3ft.

Curb head and sidewalk to be poured in one piece, expansion joint required.

Concrete to be standard 4000 psi. 6 bag mix

Sidewalk to be 4" thick.

One driveway approach approx. 20 ft. wide to be 6" thick.

All work must be ADA compliant.

Repair light pole/sign posts as needed.

Pour tree boxes to accept existing grates if needed.

Any needed saw cutting to be included in bid.

Bidder is responsible for traffic control and all required permits.

City to provide Dump Site for all removals

Final measurements are the responsibility of bidder.

It is highly recommended to visit site prior to summiting bid.

In accordance with Wis. Stat. 62.15(3) all bids must be accompanied by a certified check or a bid bond equal to 10 percent of the bid payable to the City of Black River Falls (the "City") as a guaranty that if the bid is accepted the bidder will execute and file the proper contract and bond within the time limited by the City. If the successful bidder so files the contract and bond, upon the execution of the contract by the City the check shall be returned. In case the successful bidder fails to file such contract and bond the amount of the check or bid bond shall be forfeited to the City as liquidated damages.

Bidders Proof of Responsibility must be submitted to the City in accordance with section 66.0901 (2) and (3) Wisconsin statues.

Bidder's Certificate must be submitted to the City in accordance with section 66.0901 (7) Wisconsin statues.

Bids shall be directed to the Street Superintendent securely sealed and endorsed upon the outside wrapper "2021 Sidewalk Projects".

Final measurements are the responsibility of the bidder.

Questions? Please call 715-299-0605

Greg Rush

Street Superintendent

City of Black River Falls

